Software Assurance: Crippling Coming Cyberassaults

Dr. Paul E. Black

National Institute of Standards and Technology

http://samate.nist.gov/

paul.black@nist.gov



maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to completing and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar DMB control number.	ion of information. Send comment arters Services, Directorate for Info	s regarding this burden estimate or formation Operations and Reports	or any other aspect of the control o	his collection of information, Highway, Suite 1204, Arlington
1. REPORT DATE APR 2010		2. REPORT TYPE		3. DATES COVE	ered O to 00-00-2010
4. TITLE AND SUBTITLE				5a. CONTRACT	NUMBER
Software Assurance	e: Crippling Comin	g Cyberassaults		5b. GRANT NUM	MBER
				5c. PROGRAM E	ELEMENT NUMBER
6. AUTHOR(S)				5d. PROJECT NU	UMBER
				5e. TASK NUME	BER
				5f. WORK UNIT	NUMBER
	ZATION NAME(S) AND AD of Standards and Te ,20899	` '	au Dr # 1000	8. PERFORMING REPORT NUMB	G ORGANIZATION ER
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/M NUMBER(S)	IONITOR'S REPORT
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distributi	ion unlimited			
13. SUPPLEMENTARY NO Presented at the 22 City, UT.	OTES And Systems and Sof	tware Technology	Conference (SSTC	C), 26-29 Apr	ril 2010, Salt Lake
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFIC	CATION OF:		17. LIMITATION OF ABSTRACT	18. NUMBER	19a. NAME OF
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	OF PAGES 29	RESPONSIBLE PERSON

Report Documentation Page

Form Approved OMB No. 0704-0188

What is NIST?

- U.S. National Institute of Standards and Technology
- A non-regulatory agency in Dept. of Commerce
- 3,000 employees + adjuncts
- Gaithersburg, Maryland and Boulder, Colorado
- Primarily research, not funding
- Over 100 years in standards and measurements: from dental ceramics to microspheres, from quantum computers to fire codes, from body armor to DNA forensics, from biometrics to text retrieval.



The NIST SAMATE Project

- Software Assurance Metrics And Tool Evaluation (SAMATE) project is sponsored in part by DHS
- Current areas of concentration
 - Web application scanners
 - Source code security analyzers
 - Static Analyzer Tool Exposition (SATE)
 - Software Reference Dataset
 - Software labels
 - Malware research protocols
- Web site http://samate.nist.gov/



Software Reference Dataset



- **Public repository for** software test cases
- Almost 1800 cases in C, C++, Java, and Python
- Search and compose custom Test Suites
 - Contributions from Fortify, Defence R&D Canada, Klocwork, MIT **Lincoln Laboratory, Praxis, Secure Software,**


Software Facts Label

- Software Facts should:
 - Voluntary
 - Absolutely simple to produce
 - Have a standard format for other claims
- What could be easily supplied?
 - Source available? Yes/No/Escrowed
 - Default installation is secure?
 - Accessed: network, disk, ...
 - What configuration files? (registry, ...)
 - Certificates (eg, "No Severe weaknesses found by CodeChecker ver. 3.2")
- Cautions
 - A label can give false confidence.
 - A label shut out better software.
 - Labeling diverts effort from real improvements.

Name InvadingAlienOS	
Version 1996,7.04	
Expected number of users 15	
Modules 5 483 Modules from libraries 4 10	2
961	Vulnerability
Cross Site Scripting 22	65%
Reflected 12	55%
Stored 10	55%
SQL Injection 2	10%
Buffer overflow 5	95%
Total Security Mechanisms 284	100%
Authentication 15	5%
Access control 3	1%
Input validation 230	81%
Encryption 3 AES 256 bits, Triple DES	1%
Report security flaws to: ciwnmcyi@mothers	hip.milkyway
Report security flaws to: ciwnmcyi@mothers	hip.milkyway
Report security flaws to: ciwnmcyi@mothers Total Code 3.1415×10 ⁹ function points	
	100%
Total Code 3.1415×10 ⁹ function points	100% 35%
Total Code 3.1415×10 ⁹ function points C 1.1×10 ⁹ function points	100% 35% 65%
Total Code 3.1415×10 ⁹ function points C 1.1×10 ⁹ function points Ratfor 2.0415×10 ⁹ function points Test Material 2.718×10 ⁶ bytes	100% 35% 65%
Total Code 3.1415×10 ⁹ function points C 1.1×10 ⁹ function points Ratfor 2.0415×10 ⁹ function points	100% 35% 65% 100% 99%
Total Code 3.1415×10 ⁹ function points C 1.1×10 ⁹ function points Ratfor 2.0415×10 ⁹ function points Test Material 2.718×10 ⁶ bytes Data 2.69×10 ⁶ bytes Executables 27.18×10 ³ bytes	100% 35% 65% 100% 99% 1%
Total Code 3.1415×10 ⁹ function points C 1.1×10 ⁹ function points Ratfor 2.0415×10 ⁹ function points Test Material 2.718×10 ⁶ bytes Data 2.69×10 ⁶ bytes	100% 35% 65% 100% 99% 1%
Total Code 3.1415×10 ⁹ function points C 1.1×10 ⁹ function points Ratfor 2.0415×10 ⁹ function points Test Material 2.718×10 ⁶ bytes Data 2.69×10 ⁶ bytes Executables 27.18×10 ³ bytes Documentation 12 058 pages	100% 35% 65% 100% 99% 1%
Total Code 3.1415×10 ⁹ function points C 1.1×10 ⁹ function points Ratfor 2.0415×10 ⁹ function points Test Material 2.718×10 ⁶ bytes Data 2.69×10 ⁶ bytes Executables 27.18×10 ³ bytes Documentation 12 058 pages Tutorial 3 971 pages	100% 35% 65% 100% 99% 1% 100% 52% 15%
Total Code 3.1415×10 ⁹ function points C 1.1×10 ⁹ function points Ratfor 2.0415×10 ⁹ function points Test Material 2.718×10 ⁶ bytes Data 2.69×10 ⁶ bytes Executables 27.18×10 ³ bytes Documentation 12 058 pages Tutorial 3 971 pages Reference 6 233 pages	100% 35% 65% 100% 99% 1% 100% 33% 52%
Total Code 3.1415×10 ⁹ function points C 1.1×10 ⁹ function points Ratfor 2.0415×10 ⁹ function points Test Material 2.718×10 ⁶ bytes Data 2.69×10 ⁶ bytes Executables 27.18×10 ³ bytes Documentation 12 058 pages Tutorial 3 971 pages Reference 6 233 pages	100% 35% 65% 100% 99% 1% 100% 33% 52% 15%
Total Code 3.1415×10 ⁹ function points C 1.1×10 ⁹ function points Ratfor 2.0415×10 ⁹ function points Test Material 2.718×10 ⁶ bytes Data 2.69×10 ⁶ bytes Executables 27.18×10 ³ bytes Documentation 12 058 pages Tutorial 3 971 pages Reference 6 233 pages Design & Specification 1 854 pages	100% 35% 65% 100% 99% 1% 100% 33% 52% 15%

Researching Risky Software

- Many people research malware, but there are no widely accepted protocols.
- Biological research has defined levels with associated practices, safety equipment, and facilities.
- Some approaches are
 - Weakened programs (auxotrophs)
 - Programs that ALERT
 - Outgoing firewalls
 - Isolated networks



- Assurance that software is less vulnerable to coming cyberassaults
- Static and dynamic analysis
- Static Analysis Tool Exposition -2009 outcomes and 2010 progress

Assurance from three sources

$$A = f(p, s, e)$$

where A is functional assurance, p is process quality, s is assessed quality of software, and e is execution resilience.

p is process quality

- High assurance software must be developed with care, for instance:
 - Validated requirements
 - Good system architecture
 - Security designed- and built in
 - Trained programmers

s is assessed quality of software

- Two general kinds of software assessment:
 - Static analysis
 - e.g. code reviews and scanner tools
 - examines code
 - Testing (dynamic analysis)
 - e.g. penetration testing, fuzzing, and red teams
 - runs code

e is execution resilience


- The execution platform can add assurance that the system will function as intended.
- Some techniques are:
 - Randomize memory allocation
 - Execute in a "sandbox" or virtual machine
 - Monitor execution and react to intrusions
 - Replicate processes and vote on output

Software analysis is vital

Benefits are:

- Provide feedback to development process
- Build product assurance when process is less visible
 - contractors
 - open source
 - legacy software
- Confirm minimum quality for execution

Analysis is like a seatbelt ...




- Assurance that software is less vulnerable to coming cyberassaults
- Static and dynamic analysis
- Static Analysis Tool Exposition -2009 outcomes and 2010 progress

Comparing Static Analysis with Dynamic Analysis


Static Analysis

- Code review
- Binary, byte, or source code scanners
- Model checkers & property proofs
- Assurance case



Dynamic Analysis

- Execute code
- Simulate design
- Fuzzing, coverage, MC/DC, use cases
- Penetration testing
- Field tests



Strengths of Static Analysis

- Applies to many artifacts, not just code
- Independent of platform
- In theory, examines all possible executions, paths, states, etc.
- Can focus on a single specific property


Strengths of Dynamic Analysis

- No need for code
- Conceptually easier "if you can run the system, you can run the test".
- No (less) need to build or validate models or make assumptions.
- Checks installation and operation, along with end-to-end or whole-system.

Static and Dynamic Analysis Complement Each Other

Static Analysis

- Handles unfinished code
- Can find backdoors, eg, full access for user name "JoshuaCaleb"
- Potentially complete



Dynamic Analysis

- Code not needed, eg, embedded systems
- Has few(er) assumptions
- Covers end-to-end or system tests
- Assess as-installed



- Assurance that software is less vulnerable to coming cyberassaults
- Static and dynamic analysis
- Static Analysis Tool Exposition -2009 outcomes and 2010 progress

Static Analysis Tool Exposition (SATE) Overview

 Goal: advance research in, and improvement of, static analysis tools for security-relevant defects and speed tool adoption by demonstrating use on real software.

Checkpoints

- Participants run tools on Java and C programs we choose
- NIST-led researchers analyze reports
- Everyone shares results and observations at a workshop
- Later release final report and all data
- http://samate.nist.gov/SATE.html
- Co-funded by NIST and DHS/NCSD

SATE Participants

• 2008:

Aspect Security ASC

Checkmarx CxSuite

Flawfinder

Fortify SCA

Grammatech CodeSonar

2009:

Armorize CodeSecure

Checkmarx CxSuite

Coverity Prevent

Grammatech CodeSonar

HP DevInspect

SofCheck Inspector for Java

UMD FindBugs

Veracode SecurityReview


Klocwork Insight

LDRA Testbed

SofCheck Inspector for Java

Veracode SecurityReview

"Number of bugs" is undefined Tangled Flow: 2 sources, 2 sinks, 4 paths




Summary of 2009 tool reports

- Reports from 18 tool runs
- About 20,000 total warnings
 - but tools prioritize by severity, likelihood
- Reviewed 521 warnings 370 were not false
- Number of warnings varies a lot by tool and case
- 83 CWE ids/221 weakness names


Tools don't report same warnings

Overlap in Not-False Warnings




Some types have more overlap

Overlap in Not-False Buffer Errors




Why don't tools find same things?

- Tools look for different weakness classes
- Tools are optimized differently



Tools find things that people find



SATE 2010 tentative timeline

- ✓ Hold organizing workshop (12 Mar 2010)
- Recruit planning committee.
- Revise protocol.
- Choose test sets. Provide them to participants (17 May)
- Participants run their tools. Return reports (25 June)
- Analyze tool reports (27 Aug)
- Share results at workshop (October)
- Publish data (after Jan 2011)

Acronyms

- CWE Common Weakness Enumeration <u>http://cwe.mitre.com/</u>
- DHS/NCSD Department of Homeland Security/National Cyber Security Division
- MC/DC Modified Condition/Decision Coverage
- SAMATE Software Assurance Metrics And Tool Evaluation (project at NIST)
- SATE Static Analysis Tool Exposition (annual event)
- NIST National Institute of Standards and Technology